







31 slots for support tubes  
 diameter of support tubes: 29 mm

### Mobile Rack Types R660 and R900 Table of Clearance

5 support tubes clearance: 303,5 mm	4 support tubes clearance: 351,0 mm	4 support tubes clearance: 398,5 mm	4 support tubes clearance: 446,0 mm	3 support tubes clearance: 493,5 mm	3 support tubes clearance: 541,0 mm	3 support tubes clearance: 588,5 mm
x 95,0 mm x 5   29,0 mm x x x 303,5 mm x x 4   29,0 mm x x x 303,5 mm x 3   29,0 mm x x x 303,5 mm x 2   29,0 mm x x x 303,5 mm x 2   29,0 mm x x x 303,5 mm x 1   29,0 mm	x x x 285,0 mm x x x 351,0 mm x x 3   29,0 mm x x x 351,0 mm x x x 351,0 mm x 2   29,0 mm x x x 351,0 mm x 1   29,0 mm	x x x 142,5 mm x 4   29,0 mm x x x 398,5 mm x x 3   29,0 mm x x x 398,5 mm x 2   29,0 mm x x x 398,5 mm x 1   29,0 mm	x 4   29,0 mm x x x 446,0 mm x x 3   29,0 mm x x x 446,0 mm x 2   29,0 mm x x x 446,0 mm x 1   29,0 mm	x x x 380,0 mm x x 3   29,0 mm x x x 493,5 mm x 2   29,0 mm x x x 493,5 mm x 1   29,0 mm	x x x 285,0 mm x 3   29,0 mm x x x 541,0 mm x 2   29,0 mm x x x 541,0 mm x 1   29,0 mm	x x x 190,0 mm x 3   29,0 mm x x x 588,5 mm x 2   29,0 mm x x x 588,5 mm x 1   29,0 mm